



























 <p>ICOM</p> <p>HF Automatic Antenna Tuner, Covering 1.6 - 30 MHz Marine Frequencies.</p> <p>AT-130</p>	 <p>ICOM</p> <p>Rapid Desktop Battery Charger for Battery Pack BP-232, BP232N, BP23H</p> <p>BC-16011</p>	 <p>ICOM</p> <p>Rapid Desk Charger for BP-279 Battery</p> <p>BC-213</p>
 <p>ICOM</p> <p>Rapid charger for battery BP-290 included on radio model F52D/F62D</p> <p>BC219N</p>	 <p>ICOM</p> <p>ICOM Digital Voice Converter</p> <p>CT-24D</p>	 <p>ICOM</p> <p>136-174MHz, 128 CH, LCD, 4-key analog portable with rapid charger</p> <p>ICF1000SRC</p>
 <p>ICOM</p> <p>136-174 Mhz IDAS portable, 16 CH no display, rapid charger included.</p> <p>ICF1100D</p>	 <p>ICOM</p> <p>Analog Portable Radio, (N)12.5 kHz, 4W, 128 Channels, IP67 Submersible, 400-470MHz, Doesn't Included Rapid Charger</p> <p>IC-F2000S/05S</p>	 <p>ICOM</p> <p>400-470MHz IDAS portable with 16CH and NO DISPLAY</p> <p>ICF2100DLRC</p>
 <p>ICOM</p> <p>Portable Digital Radio NXDN 136-174 MHz, 512 Channels, Built-in GPS, Submersible. Rapid Charger not included.</p> <p>IC-F3261DS/55S</p>	 <p>ICOM</p> <p>Portable Digital Radio 136-174 MHz, 512 Channels, 5 W Power, Version with Keypad DTMF with GPS. Supplied with Battery, Belt Clip, and Antenna.</p> <p>IC-F3261DT/40</p>	 <p>ICOM</p> <p>Portable Digital Radio 136-174 MHz, 512 Channels, 5 W Power, Version with Keypad DTMF with GPS. Supplied with Battery, Belt Clip, and Antenna.</p> <p>IC-F3261DT/40</p>
 <p>ICOM</p> <p>Portable digital radio with 1024 channels, on range 136-174MHz, sumersible, GPS and bluetooth built in, LCD color display</p> <p>IC-F3400DS/11S</p>	 <p>ICOM</p> <p>Portable Radio 400-470 MHz, 16 Channels, 4 Watts. Supplied with Battery, Belt Clip, Charger, and Antenna</p> <p>ICF4001/03</p>	 <p>ICOM</p> <p>Best Features & Performance, 128 Memory Channels, MDC 1200 Compatible, 50 W, 136-174MHz Frequency Range</p> <p>IC-F5021/51</p>
 <p>ICOM</p> <p>Mobile Radio Analog on VHF Band of 136-174MHz, 50W, With Signaling MDC-1200</p> <p>ICF5061/21</p>	 <p>ICOM</p> <p>Mobile Radio, 512 Channels, VHF, 50 W, With Signaling MDC-1200, 136-174 MHz, with UT126H Card. Microphone, Power Cable and Mounting Bracket Included</p> <p>IC-F5061D/51</p>	 <p>ICOM</p> <p>Portable digital radio with 512 channels, on range 136-174MHz, sumersible, bluetooth built in.</p> <p>ICF52D/11S</p>
 <p>ICOM</p> <p>Portable digital radio with 512 channels, on range 136-174MHz, sumersible, bluetooth built in.</p> <p>ICF52D/11S</p>	 <p>ICOM</p> <p>Portable Digital Radio with 512 channels, 400-470 MHz, Submersible, Bluetooth, Rapid charger not included</p> <p>ICF62D/11S</p>	 <p>ICOM</p> <p>Portable Digital Radio with 512 channels, 400-470 MHz, Submersible, Bluetooth, Rapid charger not included</p> <p>ICF62D/11S</p>
 <p>ICOM</p> <p>Portable Digital Radio with 512 Channels, on Range 450-512MHz, Submersible, Built-in Bluetooth</p> <p>ICF62D/21S</p>	 <p>ICOM</p> <p>Portable Digital Radio with 512 Channels, on Range 450-512MHz, Submersible, Built-in Bluetooth</p> <p>ICF62D/21S</p>	 <p>ICOM</p> <p>Digital mobile radio with numerical display, in the range of 380-470MHz, 99 selectable channels, GPS, and bluetooth. Includes microphone, power cable and bracket.</p> <p>IC-F6400DS/11</p>



























CHATEA
CON NOSOTROS
HAZ CLIC AQUÍ

<p>ICOM</p>  <p>Marine Transceiver, Color White, Tx: 156.025 - 157.425 MHz, Rx: 156.050 - 163.275 MHz, Submersible IPX7 Microphone, Power Cable and Mounting Bracket Included</p> <p>IC-M330/21</p>	<p>LAIRD</p>  <p>Heavy Duty/Low Profile, 3/4 Mount Included, 156-172 MHz.</p> <p>TRABT-1560</p>	<p>LARSEN</p>  <p>Heavy Duty, Low Profile, UHF Mobile Antenna, 450-470 MHz, Unity Gain, 100 W, Dimensions: 114 mm / 4.5 in</p> <p>LP-450-NMO</p>
<p>OTTO</p>  <p>Lightweight Padded Headset with Microphone for ICOM IC-A6/A14/A24 Handheld Radios</p> <p>V4-10683</p>	<p>PCTEL</p>  <p>ANTENA 806-960MHz 154M BANDSWITCH</p> <p>BMLPV800</p>	<p>PCTEL</p>  <p>GNSS Multi-band Antenna, Multi-port 4G LTE and MIMO Connectivity</p> <p>GL9X1AX-SFUS</p>
<p>PCTEL</p>  <p>Slender GNSS Multi-Band Antenna with Multi-Port 4G LTE and 802.11AC MIMO</p> <p>GL9X1AXTRBUS</p>	<p>PCTEL</p>  <p>Multi-Band LTE MIMO, with High Rejection GPS/GLONASS</p> <p>GLHPDLTEMIMOSFUS</p>	<p>PCTEL</p>  <p>406 - 416 MHz Omnidirectional UHF Base Antenna, Fiberglass</p> <p>MFB4065NF</p>
<p>PCTEL</p>  <p>(PCTCNMFT) VHF Mobile Antenna, Field Adjustable, Frequency Range 118-940 MHz, Unit Gain, 150 W</p> <p>MFT-121</p>	<p>PCTEL</p>  <p>VHF Mobile Antenna, Field Adjustable, Frequency Range 144 - 174 MHz, 3 dB, 200 W, 132 cm / 52" Maximum Length</p> <p>MHB-5800</p>	<p>PCTEL</p>  <p>VHF Mobile Antenna, Frequency Range 132-174, 3dB Gain Chrome Coil D</p> <p>MHB5800132S</p>
<p>PCTEL</p>  <p>UHF Mobile Antenna, Field Adjustable, Frequency Range 450-470 MHz</p> <p>MUF-4505</p>	<p>PCTEL</p>  <p>UHF Mobile Antenna, Field Adjustable, Frequency Range 490 - 512 MHz</p> <p>MUF-4903</p>	<p>PCTEL</p>  <p>MAXRAD Mobile Antennas Mount, 1 Thread, 3/4" Hole Mount (NMO), 16 ft RG-58/U Cable</p> <p>NMO-58UNC</p>
<p>PCTEL</p>  <p>Trunk Mounting 3/4 (NMO), 16 ft RG-58/U Cable, Connector UHF Male (PL-259)</p> <p>T</p>	<p>PCTEL</p>  <p>Trunk Mounting 3/4 (NMO), 16 ft RG-58/U Cable, Connector Mini-UHF Male (PL-259)</p> <p>TPL</p>	<p>PCTEL</p>  <p>MAXRAD 3/4 Hole Mount (NMO) for Trunk</p> <p>TTT</p>
<p>PRYME</p>  <p>Lapel Microphone with Discreet Earphone for MOTOROLA Radios HT-750 / 1250 / 1550 / PRO-5150 / 5550 / 7150 / 9150/ MTX850LS / PTX700</p> <p>SPM-1333</p>	<p>PRYME</p>  <p>LIGHT WEIGHT Behind-the-Head Headset. Single Speaker, Noise Canceling Mic</p> <p>SPM1400M11</p>	<p>PRYME</p>  <p>Microphone / Speaker Heavy Duty for MOTOROLA Radios XTS3000/ Astro/ HT1000/ MTX8000/ 838/ 9000/ GP9000/ XTS5000/ GP1200</p> <p>SPM-2123</p>
<p>PRYME</p>  <p>Microphone-Earphone with 2 Wire System for MOTOROLA XTS-3000/ ASTRO/ HT-1000/ MTX-8000/ 838/ 9000/ GP-9000/ XTS-5000.</p> <p>SPM-2323</p>	<p>RAMSEY</p>  <p>RAMSEY Radiocommunications Service Monitor, 100 KHz-1.0 GHz, 100 W max</p> <p>COM-3010</p>	<p>RAMSEY</p>  <p>RAMSEY Radiocommunications Service Monitor, 100 KHz-1.0 GHz, 100 W max</p> <p>COM-3010</p>



WHATSAPP

**CHATEA
CON NOSOTROS**
HAZ CLIC AQUÍ

 <p>SAMLEX Switching Power Supply, Maximum Current of 23 A.</p> <p>SEC-1223</p>	 <p>Battery Charger for Lead Acid Batteries 24 Volts, 15A</p> <p>SEC-2415-UL</p>	 <p>Track Garage Mounted Overhead Door Contact</p> <p>SFD-3016C</p>
 <p>Marine Mobile Antenna, VHF, SHAKESPEARE, 3dB, 50 W, Bandwidth 7 MHz</p> <p>5215-CX</p>	 <p>Siklu EtherHaul-2500FX 1 to 2 Gigabit Full Duplex 70/80GHz E-Band</p> <p>EH-2500FX-ODU-H-EXT</p>	 <p>Siklu EtherHaul-2500FX 1 to 2 Gigabit Full Duplex 70/80GHz E-Band</p> <p>EH-2500-FX-ODU-L-EXT</p>
 <p>VHF, Band Pass-Band Reject Duplexer, 138-174 MHz, 4 Cavities (4" Dia.), 500 kHz, N Female, 350 W.</p> <p>Q2220-E</p>	 <p>Band Pass-Band Reject Duplexer, UHF, 406-512 MHz, 4 Cav. 4" by side, 5 MHz, 350 Watt, N Female.</p> <p>Q3220-E</p>	 <p>Rapid Desktop Battery Charger; (BP-264) ICOM Series F3001, F4001, F3101, F4101D.</p> <p>SBC191</p>
 <p>Helical Antenna VHF 148-162 MHz.(For KENWOOD Radios).</p> <p>SKRA14M</p>	 <p>10 ft Galvanized Steel Post for Video Surveillance</p> <p>MSC-30A-3</p>	 <p>10 ft Galvanized Steel Post for Video Surveillance</p> <p>MSC-30A-3</p>
 <p>Guyed Anchor Rod for 30 ft Tower, Floor type, Length 195 cm, Hot-dip Galvanized</p> <p>SAZ-60G</p>	 <p>4G LTE IP67 SUBMERSIBLE Radio with Top Display / Rough Use / Qualcomm Processor / Compatible With NXRADIO</p> <p>TE-390</p>	 <p>TE 390 MULTI CHARGER 8 UNITS</p> <p>TE390MC</p>
 <p>TE 390 MULTI CHARGER 8 UNITS</p> <p>TE390MC</p>	 <p>1000ft Cable Reel, Flexible Low Loss Communications Coax 50 Ohms</p> <p>LMR-400/1000</p>	 <p>Amplifier 100% Duty Cycle, 162-174MHz, 1-5W Input / 15-60W Output, 10A, 13.8 Vdc</p> <p>PA3-1AC-RSF-3</p>
 <p>Continuous Duty Cycle Amplifier, 400-430 MHz, Input 1-5 Watt / Output 15-60 Watt, N Females.</p> <p>PA6-1AC-RSF-2</p>	 <p>Continuous Duty Cycle Amplifier, 470-490 MHz, Input 1-5 Watt / Output 15-60 Watt, N Females.</p> <p>PA6-1AC-RSF-5</p>	 <p>Continuous Duty Cycle Amplifier, 490-512 MHz, Input 1-5 Watt / Output 15-60 Watt, N Females.</p> <p>PA6-1AC-RSF-6</p>
 <p>Tram 1153-S Premium Coil NMO Antenna w/ Spring (136-174 MHz)</p> <p>1153-S</p>	 <p>VHF Omnidirectional Base Antenna.</p> <p>1400-T</p>	 <p>TX-RX Multicoupler, 794-902 MHz, 8 Channels, 18 dB, 85-264 Vac, N Female.</p> <p>42-83J-05-08N</p>



CHATEA
CON NOSOTROS
HAZ CLIC AQUÍ

TXPRO



Waterproof Handheld Speaker Microphone for HYTERA PD706/ PD786/PT580

TX-309-H05

TXPRO



3-Wire Lapel Microphone for HYTERA PD-706/ PD-786/ PT-580

TX-885-H05

TXPRO



Ni-MH Battery 2000 mAh for ICOM Radios Series ICF11/11S/21/21S

TX-BP210N

TXPRO



G Shape Lapel Microphone - Earphone Adjustable to the Ear for ICOM IC-F11 / 14 / 3021 / 3013 / 3103 / 3003 Handheld Radios

TX-EHI


TXPRO



Lapel Microphone with Earphone Hook Adjustable to the Ear for KENWOOD TK3230/ 3000/ 3402/ 3312/ 3360/ 3170, NX240/ 340/ 220/ 320/ 420

TX-EHK

TXPRO



Lapel Microphone - Earphone with Acoustic Clear Tube for KENWOOD TK3230 / 3000 /3402 /3312 / 3360 / 3170, NX240 / 340 / 220 / 320 / 420

TX-EHKA2


TXPRO



Lapel Microphone - Earphone with Acoustic Clear Tube for HYTTC-500/ 518/ 600/ 610/ 700, Motorola Radios GP300 / PRO2150 / P110 / GP350 / SP-10 / PRO3150 / EP450 / EP350 / MAG ONE, PU Acoustic Tube

TX-EHMAV2

TXPRO



Li-Ion battery, 1800 mAh 7.4 V, for radios TK 2202 2202L 3202 3202L 2212 2212L 2302 3302

TX-KNB45L

TXPRO



Li-Ion Battery 2150 mAh for Radio Kenwood NX220/320/420

TX-KNB57L

TXPRO



Li-Ion Battery, 1800 mAh for Radios TK-2000 TK-3000, Clip Included

TX-KNB65

TXPRO



4G LTE IP66 Radio / 2.4 Inch Screen / Front and Rear Camera / Compatible with NXRADIO

TXR59A4G

